

## National Aeronautics and Space Administration

1852.223-73

call for developing, producing, testing, or operating a device for which a radio frequency authorization is required.

(End of clause)

### 1852.223-72 Safety and Health (Short Form).

As prescribed in 1823.7001(e), insert the following clause:

#### SAFETY AND HEALTH (SHORT FORM) (APR 2002)

(a) Safety is the freedom from those conditions that can cause death, injury, occupational illness; damage to or loss of equipment or property, or damage to the environment. NASA's safety priority is to protect: (1) The public, (2) astronauts and pilots, (3) the NASA workforce (including contractor employees working on NASA contracts), and (4) high-value equipment and property.

(b) The Contractor shall take all reasonable safety and occupational health measures consistent with standard industry practice in performing this contract. The Contractor shall comply with all Federal, State, and local laws applicable to safety and occupational health and with the safety and occupational health standards, specifications, reporting requirements, and any other relevant requirements of this contract.

(c) The Contractor shall take, or cause to be taken, any other safety, and occupational health measures the Contracting Officer may reasonably direct. To the extent that the Contractor may be entitled to an equitable adjustment for those measures under the terms and conditions of this contract, the equitable adjustment shall be determined pursuant to the procedures of the Changes clause of this contract; provided, that no adjustment shall be made under this Safety and Health clause for any change for which an equitable adjustment is expressly provided under any other clause of the contract.

(d) The Contracting Officer may notify the Contractor in writing of any noncompliance with this clause and specify corrective actions to be taken. In situations where the Contracting Officer becomes aware of noncompliance that may pose a serious or imminent danger to safety and health of the public, astronauts and pilots, the NASA workforce (including Contractor employees working on NASA contracts), or high value mission critical equipment or property, the Contracting Officer shall notify the Contractor orally, with written confirmation. The Contractor shall promptly take and report any necessary corrective action. The Government may pursue appropriate remedies in the event the Contractor fails to promptly take the necessary corrective action.

(e) The Contractor (or subcontractor or supplier) shall insert the substance of this

clause, including this paragraph (d) and any applicable Schedule provisions, with appropriate changes of designations of the parties, in subcontracts of every tier that exceed the micro-purchase threshold.

(End of clause)

[66 FR 18052, Apr. 5, 2001, as amended at 67 FR 17017, Apr. 9, 2002]

### 1852.223-73 Safety and Health Plan.

As prescribed in 1823.7001(c), insert the following provision:

#### SAFETY AND HEALTH PLAN (NOV 2004)

(a) The offeror shall submit a detailed safety and occupational health plan as part of its proposal (see NPR 8715.3, NASA Safety Manual, Appendices). The plan shall include a detailed discussion of the policies, procedures, and techniques that will be used to ensure the safety and occupational health of Contractor employees and to ensure the safety of all working conditions throughout the performance of the contract.

(b) When applicable, the plan shall address the policies, procedures, and techniques that will be used to ensure the safety and occupational health of the public, astronauts and pilots, the NASA workforce (including Contractor employees working on NASA contracts), and high-value equipment and property.

(c) The plan shall similarly address subcontractor employee safety and occupational health for those proposed subcontracts that contain one or more of the following conditions:

(1) The work will be conducted completely or partly on premises owned or controlled by the government.

(2) The work includes construction, alteration, or repair of facilities in excess of the simplified acquisition threshold.

(3) The work, regardless of place of performance, involves hazards that could endanger the public, astronauts and pilots, the NASA workforce (including Contractor employees working on NASA contracts), or high value equipment or property, and the hazards are not adequately addressed by Occupational Safety and Health Administration (OSHA) or Department of Transportation (DOT) regulations (if applicable).

(4) When the assessed risk and consequences of a failure to properly manage and control the hazards warrants use of the clause.

(d) This plan, as approved by the Contracting Officer, will be included in any resulting contract.